


RF Cartridge Permanent Magnetic Separators



ERIEZ


RF Cartridge

PERMANENT MAGNETIC SEPARATORS

Eriez' "RF" (Radial Field) Cartridge Magnet is ideal for removing tramp iron from dry, free-flowing food or chemical products conveyed in pneumatic pipelines.

Material enters the housing, is distributed by a solid stainless steel cone and passes in close proximity to the magnetic cartridge.

Ferrous contamination is attracted and held by the magnet while the separated product continues past the magnet and out of the housing. The ferrous contamination remains on the magnet until the cartridge is removed and cleaned.



Powerful, radial-field magnet removes tramp iron from dry, free-flowing materials in gravity or 25 psi pneumatic conveying lines.

INSTALLATION & OPERATION

Compact overall dimensions allow the RF Cartridge Magnet to be installed in tight quarters. A section of pipe is removed and the magnetic separator put in its place. Eriez offers optional end diameters, couplers, adaptors or flanges for customized installations.

Accumulated tramp iron is removed in a few easy steps:

1. Loosen the two T-handles
2. Slide couplers to center section
3. Swing out magnet section
4. Lift magnet out and wipe clean




FEATURES & BENEFITS

- High-strength permanent tapered-step magnetic elements
- Available with ceramic or Xtreme strength Rare Earth magnet material
- Stainless steel housing construction
- Removable magnet element with built-in handles for easy cleaning
- Utilizes typical pneumatic conveyor couplings for easy operation and positive seal
- Independent magnet element for easy handling
- Standard units available for up to 25 psig (1.7 bar) operation
- High pressure units available
- Sanitary option available

ALSO FROM ERIEZ

Eriez also builds magnetic round pipe and hump separators, pressure hump separators for up to 15 psi (1 bar), self-cleaning hump separators and magnetic traps for liquid pipeline applications, as well as a comprehensive line of magnetic, metal detection and vibratory equipment.



SPECIFICATIONS

| A Inlet O.D. | | B Housing O.D. | | Weight | |
|-----------------|-----|-------------------|-----|--------|------|
| in | mm | in | mm | lb | kg |
| 3 | 76 | 5-9/16 | 141 | 95 | 43.2 |
| 4 | 102 | 5-9/16 | 141 | 95 | 43.2 |
| 5 | 127 | 6-5/8 | 168 | 110 | 50 |
| 6 | 152 | 8-5/8 | 219 | 130 | 59 |

Dimensions and specifications are subject to change without notice.



ERIEZ

GLOBAL LEADER IN SEPARATION TECHNOLOGIES

HEADQUARTERS

2200 Asbury Road • Erie, PA 16506-1402 U.S.A.
1-814-835-6000 • eriez@eriez.com • www.eriez.com



AUSTRALIA
Epping, Victoria
+61 3 8401 7400



BRAZIL
Belo Horizonte, Minas Gerais
55 31 3281 9108



CANADA
Delta, British Columbia
+1 604-952-2300



CHILE
Las Condes, Santiago
56 2 29523400



CHINA
Qinhuangdao and Tianjin
86-22-8390-4608



GERMANY
Recklinghausen
+49 (0)160 94179313



INDIA
Athipet, Chennai
91-044-2652-5000



JAPAN
Urayasu, Chiba
+81-47-354-6381



MEXICO
Querétaro, Tlalnepantla
52 555 321 9800



PERÚ
Surco, Lima
51 1 719 4150



SOUTH AFRICA
Boksburg, Gauteng
27-11-444-9160



UNITED KINGDOM
Bedwas, Caerphilly
44-29-2086-8501



UNITED STATES
Erie, Pennsylvania
1-814-835-6000



Note: Some safety warning labels or guarding may have been removed before photographing this equipment.
Eriez, Eriez Flotation and Eriez Magnetics are registered trademarks of Eriez Manufacturing Co, Erie, PA